



PAN STONE
EUROPE LIMITED

COMPRESSION MOULDING MACHINE SERIES

OUR HEADQUARTERS

UK

Slovakia

Taiwan




The only name that matters
for injection and compression
moulding machines

www.panstone.eu

Tel: +44 (0) 1978 421761
Email: sales@panstone.eu

Unit 5, Pinfold Lane,
Llay, Wrexham LI12 0TU


www.panstone.eu



ABOUT PAN STONE

Pan Stone Hydraulic Industries co ltd was founded by a dedicated and outstanding team of engineers who all have extensive experience in the manufacture and design of machinery for the rubber moulding industry.

Our goal is to provide an innovative and quality product with zero defects to our customers. We continually update our manufacture techniques and ensure our workforce is skilled and fully trained in order to manufacture a wide range of standard and custom built machinery at an industry competitive price.



Pan Stone are focused on excellence in manufacturing techniques and customer service. we believe our dedication to continuous improvement and innovation will set the benchmark in this industry.

Since 2005 Pan Stone has become a transnational corporation with the addition of our production plant in the Anhui province of China. We supply machinery world-wide and rely on a global team of experienced and skilled sales and service engineers.

Pan Stone Europe is our European branch offering outstanding sales and service support to its customers.

Pan Stone Europe has two technical sales and service centres ensuring our customers are supported and supplied with our products throughout Europe.

Our dedicated and experienced team are able to offer a full design service from mould to machine to ensure our customers receive the most cost effective and innovative solution for their production needs.

Our Compression Moulding Machine Series offers outstanding, cost-effective quality and performance.

Our range of compression machines include:

- ◆ Compression Moulding Machine (column type)
- ◆ Pharmaceutical Butyl Rubber Stoppers Moulding Machine
- ◆ Down-Stroking Type Compression Moulding Machine
- ◆ Large Compression Moulding Machine (two sides operation)
- ◆ Multi-Layer Compression Moulding Machine
- ◆ Large-Sized Mutli-Plate Vulcanizing Machine
- ◆ Large-Sized Vulcanizing Machine
- ◆ Large Vacuum Vulcanizing Machine (two sides operation)

TO VIEW OUR FULL RANGE PLEASE VISITE OUR WEBSITE

COMPRESSION MOULDING MACHINE SERIES



+44 (0) 1978 421761
sales@panstone.eu
www.panstone.eu



COMPRESSION MOULDING MACHINE SERIES (COLUMN TYPE UPSTROKING)




Meet our rubber compression machines, packing a punch for quality and production.


MACHINE SPECIFICATION

CLAMPING (Tons)	MAIN RAM DIAMETER (mm)	HEATING PLATEN SIZE (mm)	SOLSTER PLATE (mm)	STROKE OF MAIN RAM (mm)	DAYLIGHT (mm)	POWER CONSUMPTION (SINGLE EJ) (kW)	POWER CONSUMPTION (DOUBLE EJ) (kW)	OPTION
100	φ250	405x430	Included	250	300	14.0	24.3	1. Vacuum chamber 2. Press open and close 3. Internal upper ejector (Liefer) 4. Internal bottom ejector (Liefer) 5. Bottom mould slide out 6. Rail type mould opening system including front ejector 7. 2rt 8. 3rt - one plate mould turning 9. 3rt - two plates mould turning 10. Bottom ejector 11. Lock pin (Side jig air cylinder) 12. 3rt - top mould turn 90° + upper ejector ejects parts from middle mold 13. 3rt - top mould turn 90° + mid mold turn 180° + external upper ejector 14. 4rt
150	φ300	450x480	Included	250	300	16.4	32.8	
200	φ355	505x510	Included	250	300	23.1	42.4	
250	φ400	570x610	Included	250	300	25.8	47.8	
350	φ457.2	700x700	Included	250	300	25.8	47.8	
500	φ560	700x700	Included	250	300	29.5	59.0	
		850x850				40.0	80.0	
		1000x1000				49.6	99.2	


MACHINE OPTIONS




Vacuum chamber




Press open and close




Internal upper ejector (Liefer)




Internal bottom ejector (Liefer)




Bottom mould slide out




Rail type mould opening system including front ejector




2RT




3RT-One plate mould turning




3RT-Two plates mould turning




Bottom ejector




Lock pin (Side jig air cylinder)



3RT-Top mould turn 90° + upper ejector ejects parts from middle mould



3RT-Top mould turn 90° + mid mold turn 180° + external upper ejector



4RT